INDEX TO VOL. XXII.

AIR-CARBON arc in high vacuum, 463.
Allen (J.), the kinetic energy of laminar flow through rectangular passages, 249.
Alloys, on the theory of equilibrium in, 1013.
Aluminium, the oxide film on.—Studies on the oxidation of metals, 654.
Antimony-silver series, the Hall effect and some other physical constants of alloys, 417.
Atomic constants and X-ray levels, 1129.
—— forces of solid states, 49, 281.
—— levels, notes on the relative and absolute values of, 171.
—— ——, relative and absolute values of, 854.
—— nuclei, the structure of, 537.
Babcock (S. H.) and Kunz (J.), optical rotatory power of solutions in an electric field, 616.
Backhouse (Ivor), the X-ray K-fluorescence yield, 737.
Balmer lines of hydrogen, experimental investigation of the effects of pressure and current on the intensities of, 633.
Banerjee (S. S.) and Singh (B. N.) on the radiation resistance of tapered wire transmission lines, 955.
Bar, loaded fixed-free, the frequency of transverse vibration of, 892.
Beams of polygonal cross-section, flexure of, 582.
Beeching (R.), the structure of aluminium, chromium, and copper films evaporated on glass, 938.
Beryllium, on the thermal expansion of, 304.
Beta decay, on the Fermi theory of, 904.
Bhatnagar (Dr. S. S.), Nevgi (M. B.), and Sharma (R. L.), a note on paramagnetism of the Mn^{++} ion in the S state, 409.
Bickley (Dr. W. G.) and Miller (Dr. J. C. P.), the numerical summation of slowly convergent series of positive terms, 754.
Bircumshaw (Dr. L. L.) and Preston (G. N.), studies on the oxidation of metals.—Part IV. The oxide film on aluminium, 654.
Bond (Dr. W. N.), fundamental physical constants, 624.
Books, new :—A. R. Forsyth's Intrinsic Geometry of Ideal Space, 414; Reports on Progress in Physics.—Vol. II. Published by the Physical Society (London), 534; W. N. Bond's Probability and Random Errors, 535; R. de L. Kronig's The Optical Basis of the Theory of Valency, 536; S. Rosseland's Theoretical Astrophysics, 856; W. J. Hickinbottom's Reactions of Organic Compounds, 1167; Konstantin Dahr's a Course of Integrational and Operational Calculus: with Applications to Problems of Physics and Electrotechnics, 1168.
Brown (W. L.) and Emeléus (Dr. K. G.), a probe test for positive space-charge, 898.
Capillarity, the influence of, on coefficient of free discharge of sharp-edged orifices, 181.
Carbon dioxide at high pressures, on the refractivity and dielectric constant of, 274.
Chaudhuri (D. N.), Khastgir (Dr. S. R.), and Gupta (B. Sen), ionospheric height measurements in Eastern Bengal by the method of signal-fading, 132.

Circular cylinder having circular holes, stress in a twisted, 1089.
—— membrane, on the vibration of a heterogeneous, 106.
Clark (Dr. C. H. Douglas) and Stoves (John L.), an appraisal of empirical formulæ relating equilibrium vibration frequency and distance in non-hydride di-atom nuclei, 1137.
Clauser (Francis) and Hall (Newman A.) on the Laplacian of a vector point function, 967.
Cobaltammines in aqueous sodium, potassium, and barium thiocyanates, solubilities of, 857.
Coefficient of accommodation from aspects of the temperature drop effect, the determination of, 257.
—— of free discharge of sharp-edged orifices, the influence of capillarity on, 181.
Condenser, some uses of a calibrated variable, 1158.
Constants, fundamental physical, 624.
Copper, optical constants of, by the method of Drude, an experimental investigation on the influence of the polished surface on, 769.
—— nickel alloys, optical constants of, 287.
Cornish (R. J.), the influence of capillarity on the free discharge of sharp-edged orifices, 181.
Cosine transform, on a case of self reciprocity in, 206.
Craxford (S. R.), Gatty (O.), and McKay (H. A. C.), the theory of electrocapillarity.—IV. The interpretation of electrocapillary data, 359.
Crystal lattices of cadmium, osmium, and ruthenium, the thermal expansion of, 290.
Curran (Samuel C.), the use of high-frequency discharge-tubes as electrical counters, 599.
David (Prof. W. T.) and Leah (Dr. A. Smeeton), latent energy in explosions, 513.
Davies (R. M.), the frequency of transverse vibration of a loaded fixed-free bar, 892.
—— and Thomas (I. H.), the specific resistance and temperature variation of resistance of nickel and some of its alloys in the annealed and unannealed states, 681.
Differentiation, generalized and Lebesgue complex integration, 523.
Diffusion potential, an the meaning of, 983.
Discharge, coefficient of free, of sharp-edged orifices, influence of capillarity on, 181.
—— tubes, the use of high-frequency, as electrical counters, 599.
Dissociation constants, the thermodynamic primary and secondary, of maleic and fumaric acids, 790.
Distributions of energies of electrons, 145.
Dufton (A. F.), the computation of the strength of windows, 1165.
Eddy-current heating apparatus for outgassing electrodes in a vacuum, the design of, 453.
—— currents in thin cylindrical tubes, the power-loss, and electromagnetic shielding due to the flow of, 445.
Elastic deformation and slow viscous flow, 678.
—— plate, the exploration of stress in the neighbourhood of an isotropic point in an, 187.
Electrical constants of soil at radio frequency, direct determination of, 265.
—— counters, the use of high-frequency discharge-tubes as, 599.
—— discharges, the radial distribution of electrons in the uniform columns of, 988.
Electrocapillarity, the theory of.—IV. The interpretation of electrocapillary data, 359.
Electromagnetic fields, on interactions of, 998.
Electron affinities of helium, lithium, and fluorine, estimation of, 837.
—— beams, a new effect observed on passing through narrow slits, 801.
Electrons, distributions of energies of, 145.
—— in the uniform columns of electrical discharges, the radial distribution of, 988.
Electrostatic energy as the mutual energy of vibrating particles, 921.
Emeléus (Dr. K. G.) and Brown (W. L.), a probe test for positive space-charge, 898.

Equilibrium vibration frequency and distance in non-hydride, di-atom nuclei, an appraisal of empirical formulæ relating, 1137.
Evans (Prof. E. J.) and John (W. G.), the Hall effect and some other physical constants of alloys.—Part V. The antimony-silver series, 417.
—— and Stephens (Dr. G. O.), the magnetic susceptibilities of the silver-lead, silver-antimony, and silver-bismuth series of alloys, 435.
—— and Walters (Dr. Beryl P. M.), the magneto-optical dispersion of formic acid, methyl formate, and iso-propyl formate in the ultra-violet region of the spectrum, 816.
Evans (W. M.), determination of specific heat and thermal conductivity in a single experiment without thermometry, 833.
Explosions, latent energy in, 513.
Fabian (Dr. W.), Lebesgue complex integration and generalized differentiation, 523; on fractional calculus, 1108; Lebesgue complex integration, 1117.
Fermi theory of beta decay, 904.
Field equations in the general field theory of Schouten and van Dantzig, identical relations between, 950.
Films, the structure of aluminium, chromium, and copper, evaporated on glass, 938.
Filon (Prof. L. N. G.), the exploration of stress in the neighbourhood of an isotropic point in an elastic plate, 187.
Flexure of beams of polygonal cross-section, 582.
Fourier series, a note on the synthesis of, 753.
Fractional calculus, 1108.
Fundamental physical constants, 624.
Gatty (O.), McKay (H. A. C.), and Craxford (S. R.), the theory of electrocapillarity.—IV. The interpretation of electrocapillary data, 359.
German (Dr. W. L.), Vogel (Dr. A. I.), and Jeffery (Dr. G. H.), the thermodynamic primary and secondary dissociation constants of maleic and fumaric acids, 790.
Gibbs (Dr. Reginald E.) and Tsien (Ling-Chao), the production of piezoelectricity by torsion, 311.
Goodier (Dr. J. N.), the influence of circular and elliptical holes on the transverse flexure of elastic plates, 69; slow viscous flow and elastic deformation, 678.
Grant (C. Kerr) and Reimann (Dr. A. L.), some high temperature properties of niobium, 34.
Gravitation, the new meaning of, and some consequences, 810.
Green (Dr. George), viscous motion under gravity in a liquid film adhering to a vertical plate, 730; certain vibration problems solved by means of an analogous problem in heat conduction, 1079.
Gregory (Dr. H. Spencer), the determination of the coefficient of accommodation from aspects of the temperature drop effect, 257.
Guggenheim (E. A.), specific thermodynamic properties of aqueous solutions of, uni-univalent electrolytes, 322; on the meaning of diffusion potential, 983.
Gupta (B. Sen), Chaudhuri (D. N.), and Khastgir (Dr. S. R.), ionospheric height measurements in Eastern Bengal by the method of signal-fading, 132.
—— and Khastgir (Dr. S. R.), the direct determination of the electrical constants of soil at radio frequency, 265.
Hall (Newman A.) and Clauser (Francis) on the Laplacian of a vector point function, 967.
—— effect and some other physical constants of alloys.—Part V. The antimony - silver series, 417.
Hartmann (Jul.) and Mathes (P. v.), vibrations of a liquid membrane exposed to high-frequency sound-waves, 883.
Hay (Max. H.), diffusion in zeolitic solids, 492.
Heaviside - Bromwich operational method, application to the solution of a problem in heat conduction, 239.
Heat conduction solutions for a uniform medium, application to the temperature distribution in the gas surrounding a metal sphere, 466.

High temperature properties of niobium, 34.
Holmes (S.) and Yarnold (Dr. G. D.), the radial distribution of electrons in the uniform columns of electrical discharges, 988.
Howland, (Prof. R. C. J.) and Shenstone (B. S.), the inverse method for tapered and twisted wings, 1.
Hume-Rothery (Dr. William) on the theory of equilibrium in alloys, 1013.
Huxley (Dr. L. G. H.) and Middleton (K. N.) on some uses of a calibrated variable condenser, 1158.
Hydrogen, experimental investigation of the effects of pressure and current on the intensities of the Balmer lines of, 633.
Inductance of iron-covered coils having an air gap, 665.
Integration, Lebesgue complex, 1117.
——, —— —— and generalized differentiation, 523.
Interactions of electromagnetic fields, 998.
Ionospheric height measurements in Eastern Bengal by the method of signal-fading, 132.
Iron-cored coils having an air gap, inductance of, 665.
Isotropic point in an elastic plate, the exploration of stress in the neighbourhood of, 187.
Jackson (Dr. W. W.), experimental investigation of the effects of pressure and current on the intensities of the Balmer lines of hydrogen, 633.
Jagn (Prof. J.), the method of analogy in the theory of structures, 113.
Japolsky (Dr. N. S.), the structure of atomic nuclei, 537; on Dr. Podolsky's criticism, 1003.
Jeffery (Dr. G. H.), German (Dr. W. L.), and Vogel (Dr. A. I.), the thermodynamic primary and secondary dissociation constants of maleic and fumaric acids, 790.
Jeffreys (Dr. Harold) on some criticisms of the theory of probability, 337.
John (P. O.) on the refractivity and dielectric constant of carbon dioxide at high pressures, 274.
John (W. G.) and Evans (Prof. E. J.), the Hall effect and some other physical constants of alloys.—Part V. The antimony-silver series, 417.
Johnson (Alan) and Phillips (E. G.), on a case of self-reciprocity in the cosine transform, 206.
Jones (Prof. E. Taylor), electro static energy as the mutual energy of vibrating particles, 921.
K-fluorescence yield, 737.
Khastgir (Dr. S. R.) and Gupta (B. Sen), the direct determination of the electrical constants of soil at radio frequency, 265.
——, Gupta (B. Sen), and Chaudhuri (D. N.), ionospheric height measurements in Eastern Bengal by the method of signal-fading, 132.
Kondô (Prof. Masaiti), the stress in a twisted circular cylinder having circular holes, 1089.
Kunz (J.) and Babcock (S. H.), optical rotatory power of solutions in an electric field, 616.
L-absorption edges, the widths of certain, 497.
Lamé functions of different degrees, on the recurrence formulæ of, 1123.
Laminar flow through rectangular passages, the kinetic energy of, 249.
Laplacian of a vector point function, 967.
Latent energy in explosions, 513.
Leah (Dr. A. Smeeton) and David (Prof. W. T.), latent energy in explosions, 513.
Lebesgue complex integration, 1117.
—— —— —— and generalized differentiation, 523.
Longitudinal impact of bars, the development of pressure waves, 209.
Lowery (Dr. H.), Wilkinson (H.), and Smare (D. L.), an experimental investigation on the influence of the polished surface on the optical constants of copper as determined by the method of Drude, 769.
Luikov (Alexis), the application of the Heaviside-Bromwich operational method to the solution of a problem in heat conduction, 239.

McFarlane (Walter), a new effect observed on passing electron beams through narrow slits, 801.
McKay (H. A. C.), Craxford (S. R.), and Gatty (O.), the theory of electrocapillarity.—IV. The interpretation of electrocapillary data, 359.
McLachlan (Dr. N. W.), reproduction of transients by a television amplifier, 481.
Magnetic birefringence in solutions of organic substances, 717.
—— susceptibilities of the silver-lead, silver-antimony, and the silver-bismuth series of alloys, 435.
Magneto-optical dispersion of organic liquids in the ultra-violet region of the spectrum.—Part IX. The magnetic-optical dispersion of formic acid, methyl formate, and iso-propyl formate, 816.
Mahajan (L. D.), the magnetic birefringence in solutions of organic substances, 717.
Marro (Dr. Mario) on the persistence of the sensation of speech, 847.
Mathes (P. v.) and Hartmann (Jul.), vibrations of a liquid membrane exposed to high-frequency sound-waves, 883.
Membrane, vibrations of a liquid, exposed to high-frequency sound-waves, 883.
Mercury sheet, surface tension of a moving, 970.
Method of analogy in the theory of structures, 113.
Middleton (K. N.) and Huxley (Dr. L. G. H.) on some uses of a calibrated variable condenser, 1158.
Miller (Dr. J. C. P.) and Bickley (Dr. W. G.), the numerical summation of slowly convergent series of positive terms, 754.
Mn^{++} ion in the S state, note on paramagnetism of, 409.
Mott (Prof. N. F.), the optical constants of copper-nickel alloys, 287.
Narlikar (V. V.), a generalization of Schwarzschild's internal solution, 767.
Nevgi (M. B.), Sharma (R. L.), and Bhatnagar (Dr. S. S.), a note on paramagnetism of the Mn^{++} ion in the S state, 409.
Newman (Prof. F. H.), the air-carbon arc in high vacuum, 463.
Nimmo (Dr. R. R.), some properties of valve oscillators with coupled circuits, 1057.
Niobium, high temperature properties of, 34.
Nickel, the specific heat of, 81.
—— and some of its alloys in the annealed and unannealed states, the specific resistance and temperature variation of resistance of, 681.
Non-hydride di-atoms, empirical formulæ relating nuclear vibration frequency and internuclear distance in, 1137.
Numerical summation of slowly convergent series of positive terms, 754.
Oatley (C. W.), the power-loss and electromagnetic shielding due to the flow of eddy-currents in thin cylindrical tubes, 445.
—— and Smith (J. B.), the design of eddy-current heating apparatus for outgassing electrodes in a vacuum, 453.
Operational method, Heavisides-Bromwich, application to the solution of a problem in heat conduction, 239.
—— representation of the parabolic cylinder function, 29.
Optical constants of copper as determined by the method of Drude, an experimental investigation on the influence of the polished surface on, 769.
—— —— of copper-nickel alloys, 287.
—— rotatory power of solutions in an electric field, 616.
Owen (Prof. E. A.) and Richards (T. Ll.) on the thermal expansion of beryllium, 304.
—— and Roberts (E. W.), the thermal expansion of the crystal lattices of cadmium, osmium, and ruthenium, 290.
Oxidation of metals, studies of.—Part IV. The oxide film on aluminium, 654.
Parabolic cylinder function, the operational representation of the, 29.
Paramagnetism of the Mn^{++} ion in the S state, 409.
Partington (Prof. J. R.) and Stonehill (Dr. H. J.), the effect of one

salt on the solubility of another.—Part VII. Solubilities of cobalt-ammines in aqueous sodium, potassium, and barium thiocyanates, 857.
Partridge (G. F.), the inductance of iron-cored coils having an air gap, 665.
Patterson (Dr. A. L.), a note on the synthesis of Fourier series, 753.
Phillips (E. G.) and Johnson (Alan) on a case of self-reciprocity in the cosine transform, 206.
Piezoelectricity, the production of, by torsion, 311.
Plates, transverse flexure of elastic, the influence of circular and elliptical holes on the, 69.
Podolsky (Dr. Boris) on interactions of electromagnetic fields, 998.
Pollard (Prof. W. G.) on the Fermi theory of beta decay, 904.
Porter (Prof. Alfred W.), the calculation of surface tension from experiment, 726.
Positive space charge, probe test for, 898.
Power loss and electromagnetic shielding due to the flow of eddy currents in thin cylindrical tubes, 445.
Pressure waves during the longitudinal impact of bars, the development of, 209.
Preston (G. N.) and Bircumshaw (Dr. L. L.), studies on the oxidation of, metals.—Part IV. The oxide film on aluminium, 654.
Probe test for positive space-charge, 898.
Prowse (Dr. W. A.), the development of pressure waves during the longitudinal impact of bars, 209.
Puls (H. O.), the surface tension of a moving mercury sheet, 970.
Radiation resistance of tapered wire transmission lines, 955.
Refractivity and dielectric constant of carbon dioxide at high pressure, 273.
Reimann (Dr. A. L.) and Grant (C. Kerr), some high temperature properties of niobium, 34.
Relton (Prof. F. E.) on the vibration of a heterogeneous circular membrane, 106.
Resistance, specific and temperature variation of resistance of nickel and some of its alloys in the annealed and unannealed states, 681.
Resistance, wave-making, of a ship moving along a canal, 1005.
Richards (T. Ll.) and Owen (Prof. E. A.) on the thermal expansion of beryllium, 304.
Roberts (E. W.) and Owen (Prof. E. A.), the thermal expansion of the crystal lattices of cadmium, osmium, and ruthenium, 290.
Robinson (Prof. H. R.), the relative and absolute values of atomic levels, 854; X-ray levels and atomic constants.—Part II., 1129.
Sandström (Arne Eld), notes on the relative and absolute values of atomic levels, 171; the widths of certain L-absorption edges, 497.
Schwarzschild's internal solution, a generalization of, 767.
Self-reciprocity in the cosine transform, 206.
Seth (Dr. B. R.), flexure of beams of polygonal cross-section, 582.
Shabde (Dr. N. G.), identical relations between the field equations in the general field theory of Schouten and van Dantzig, 950.
Sharma (J. L.) on the recurrence formulæ of the Lamé functions of different degrees, 1123.
Sharma (R. L.), Bhatnagar (Dr. S. S.), and Nevgi (M .B.), a note on paramagnetism of the Mn^{++} ion in the S state, 409.
Shenstone (B. S.) and Howland (Prof. R. C. J.), the inverse method for tapered and twisted wings, 1.
Signal-fading, the method of, in ionospheric height measurements, 132.
Silver (Robert S.) on the application of certain heat conduction solutions for a uniform medium to the temperature distribution in the gas surrounding a metal sphere, 466.
Silver-lead, silver-antimony, and silver-bismuth series of alloys, the magnetic susceptibilities of, 435.
Singh (B. N.) and Banerjee (S. S.) on the radiation resistance of tapered wire transmission lines, 955.

Smare (D. L.), Lowery (Dr. H.), and Wilkinson (H.), an experimental investigation on the influence of the polished surface on the optical constants of copper as determined by the method of Drude, 769.
Smith (J. B.) and Oatley (C. W.), the design of eddy-current heating apparatus for outgassing electrodes in a vacuum, 453.
Soil, direct determination of the electrical constants at radio frequency, 265.
Solid states, on the atomic forces of, 49.
Solubilities, the effect of one salt on the solubility of another.—Part VII. Solubilities of cobalt-ammines in aqueous sodium, potassium, and barium thiocyanates, 857.
Solutions in an electric field, optical rotatory power of, 616.
Sound-waves, high frequency, vibrations of a liquid-membrane exposed to, 883.
Specific heat and thermal conductivity in a single experiment without thermometry, determination of, 833.
—— —— of nickel, 81.
Speech, on the persistence of the sensation of, 847.
Srettensky (Dr. L. N.) on the wave-making resistance of a ship moving along a canal, 1005.
Stephens (Dr. G. O.) and Evans (Prof. E. J.), the magnetic susceptibilities of the silver-lead, silver-antimony, and the silver-bismuth series of alloys, 435.
Stonehill (Dr. H. J.) and Partington (Prof. J. R.), the effect of one salt on the solubility of another.—Part VII. Solubilities of cobalt-ammines in aqueous sodium, potassium, and barium thiocyanates, 857.
Stoner (Dr. Edmund C.), the specific heat of nickel, 81.
Stress in a twisted circular cylinder having circular holes, 1089.
Stoves (John L.) and Clark (Dr. C. H. Douglas), an appraisal of empirical formulæ relating equilibrium vibration frequency and distance in non-hydride di-atom nuclei, 1137.
Summation, numerical, of slowly convergent series of positive terms, 754.
Surface tension, the calculation of, from experiment, 726.
—— —— of a moving mercury sheet, 970.
Synthesis of Fourier series, a note on, 753.
Tapered and twisted wings, the inverse method for, 1.
Tavani (F.), the new meaning of gravitation and some consequences, 810.
Television amplifier, reproduction of transients by, 481.
Temperature distribution in the gas surrounding a metal sphere, on the application of certain heat conduction solutions for a uniform medium, 466.
—— drop effect, the determination of the coefficient of accommodation from aspects of, 257.
Theory of equilibrium in alloys, 1013.
—— of probability, on some criticisms of the, 337.
—— of structures, method of analogy in, 113.
Thermal conductivity and specific heat in a single experiment without thermometry, determination of, 833.
—— expansion of beryllium, 304.
—— —— of the crystal lattices of cadmium, osmium, and ruthenium, 290.
Thomas (I. H.) and Davies (R. M.), the specific resistance and temperature variation of, resistance of nickel and some of its alloys in the annealed and unannealed, 681.
Townsend (Prof. J. S. E.), distributions of energies of electrons, 145.
Transients, reproduction of, by a television amplifier, 481.
Transmission lines, on the radiation resistance of tapered wire, 955.
—— —— at high frequencies, characteristics of, 1048.
Transverse flexure of elastic plates, the influence of circular and elliptical holes on the, 69.
Tsien (Ling-Chao) and Gibbs (Dr. Reginald E.), the production of piezoelectricity by torsion, 311.

Uni-univalent electrolytes, specific thermodynamic properties of aqueous solutions of, 322.
Valve oscillators with coupled circuits, some properties of, 1057.
Varma (R. S.), the operational representation of the parabolic cylinder function, 29.
Vibrating particles, electrostatic energy as the mutual energy of, 921.
Vibration of a heterogeneous circular membrane, 106.
—— of a loaded fixed-free bar, the frequency of transverse, 892.
—— problems solved by means of an analogous problem in heat conduction, 1079.
Vibrations of a liquid membrane exposed to high-frequency sound-waves, 883.
Viscous flow and elastic deformation, 678.
—— motion under gravity in a liquid film adhering to a vertical plate, 730.
Vogel (Dr. A. I.), Jeffery (Dr. G. H.), and German (Dr. W. L.), the thermodynamic primary and secondary-dissociation constants of maleic and fumaric acids, 790.
Walmsley (Dr. T.), characteristics of transmission lines at high frequencies, 1048.
Walters (Dr. Beryl P. M.) and Evans (Prof. E. J.), the magneto-optical dispersion of formic acid, methyl formate, and iso-propyl formate in the ultra-violet region of the spectrum, 816.
Wave-making resistance of a ship moving along a canal, 1005.
Weng (Wen-Po) on the atomic forces of solid states, 49, 281.
Wilkinson (H.), Smare (D. L.), and Lowery (Dr. H.), an experimental investigation on the influence of the polished surface on the optical constants of copper as determined by the method of Drude, 769.
Windows, the computation of the strength of, 1165.
Wings, the inverse method for tapered and twisted, 1.
Wu (Prof. Ta-You), estimation of electron affinities of helium, lithium, and fluorine, 837.
X-ray K-fluorescence yield, 737.
—— levels and atomic constants, 1129.
Yarnold (Dr. G. D.) and Holmes (S.), the radial distribution of electrons in the uniform columns of electrical discharges, 988.
Zeolitic solids, diffusion in, 492.

END OF THE TWENTY-SECOND VOLUME.

Printed by TAYLOR & FRANCIS, Ltd., Red Lion Court, Fleet Street, E.C.4.

Book Research